



Total Quality. Assured.

# TOXICOLOGICAL SAFETY ASSESSMENT

## BIOFOG DISINFECTANT AEROSOL FOGGER

Customer Reference:

**CONFIDENTIAL**

**DELIVERED TO:**

Hygiene and Sanitise Africa (Pty) Ltd

114 17th Avenue, Springfield, Port

Elizabeth, 6070

P.O. Box 19208, Linton Grange

Port Elizabeth

ZA

6015

**PREPARED BY:**

Intertek - Leicester

Centre Court

Meridian Business Park

Leicester

GB

LE19 1WD

**DATE:**

June 18, 2020

Report ID: LEIC-HYG-TRAG-1

Intertek ID: 23801





**Product Name:** BioFog Disinfectant Aerosol Fogger

---

## Assessor's Credentials and Approval

This product was evaluated by O. AKINTOYE who is qualified by education, training and experience to evaluate the safety of this product formulation.

---

**O. AKINTOYE, BSc, MSc (Toxicology), MSB, PgDip. Occ. Hyg.,**  
**EUROTOX Registered Toxicologist**  
Intertek Health, Environmental & Regulatory Services (HERS)

---

**Date: June 18, 2020**

This product was reviewed by D. SANCHEZ CARVAJAL who is qualified by education, training and experience to evaluate the safety of this product formulation.

cosign

---

**D. SANCHEZ CARVAJAL, BSc (Veterinary), MSc (Toxicology)**  
Intertek Health, Environmental & Regulatory Services (HERS)

---

**Date: June 18, 2020**